

NOTES ON NEW AND NOTEWORTHY PLANTS. CXLII

Harold N. Moldenke

GHINIA CURASSAVICA var. *MINOR* (Schlecht. & Cham.) Mold., comb. nov.
Tamonea scabra var. *minor* Schlecht. & Cham., *Linnaea* 6: 373.
1831.

LIPPIA VERNONIOIDES f. *SUBTRUNCATA* Mold., f. nov.

Haec forma a forma typica speciei recedit laminis foliorum majoribus ovate-subrotundis usque ad 10 cm. latis basaliter latis-sime rotundis vel subtruncatis.

This form differs from the typical form and all other named forms of the species in having its principal larger leaves with their blades ovate-subrotund, 8--15 cm. long, 6.5--10 cm. wide, apically rounded, marginally regularly serrate, and basally broadly rounded or subtruncate, with a very small acumination into the petiole at the central base.

The type of this form was collected by H. F. Leitão Filho & al. (no. 7372) in the cerrado at Fazenda, "campininha em reserva de Instituto de Botânica", in the Municipality of Mogi-Guaçu, São Paulo, Brazil, in February of 1978 and is deposited in the United States National Herbarium in Washington.

LIPPIA ASPERRIMA f. *ANGUSTIFOLIA* Mold., f. nov.

Haec forma a forma typica speciei laminis foliorum angustioribus plerumque 1 cm. latis recedit.

This form differs from the typical form of the species in having its mature leaf-blades uniformly narrower, usually only about 1 cm. wide, occasionally as much as 1.5 cm. wide.

The form is based on *Ismael Morel 4353* from Pueblo Laguna Blanca, dept. Pilcomayo, Formosa, Argentina, collected on January 7, 1948, and deposited in the Britton Herbarium at the New York Botanical Garden.

LANTANA BALANSAE var. *HATSCHBACHII* Mold., var. nov.

Haec varietas a forma typica speciei foliorum laminis anguste ellipticis vel sublanceolatis subtus minutissime puberulis differt.

This variety differs from the typical form of the species in having its leaf-blades uniformly narrowly elliptic or almost lanceolate, 2--4 cm. long, 0.8--1.3 cm. wide, very minutely puberulent beneath.

The variety is based on *Gert Hatschbach 30581* from orla capao, Johanisdorf, Munic. Lapa. Parana, Brazil, collected on October 31, 1972, and deposited in my personal herbarium.